



# DiskStation DS215j

Synology<sup>®</sup> DiskStation DS215j is a 2-bay NAS server designed for home and personal users to enjoy effortless data sharing, multimedia streaming, and cloud synchronization, while keeping data safe and secure. Running on Synology DiskStation Manager, DS215j delivers an abundance of feature-rich applications to enhance your digital life.

# **Highlights**

- Personal Cloud Server Powered by
  Dual-Core CPU
- Floating Point Unit Enabled for
   Multimedia Processing
- DLNA-Certified Media Server
- Over 111.41 MB/s Reading, 87.49 MB/s Writing<sup>1</sup>
- Features USB 3.0
- Runs on Synology DiskStation
  Manager (DSM)

# Classic 2-bay NAS, Equipped with Dual Core

The first 2-bay NAS designed for personal users that comes with a dual-core CPU, Synology DS215j is an exciting piece of news for users worldwide eager to upgrade their home NAS. With the new CPU solution, the DS215j delivers reading speed over 111.41 MB/sec and writing over 87.49 MB/sec, a 20% gain compared to its predecessor.<sup>1</sup> Powered by a built-in floating-point unit, DS215j transcodes audio tracks into MP3 format on demand to reduce streaming bandwidth and speeds up thumbnail generation to yield a refreshing photo viewing experience. The addition of a USB 3.0 interface provides transfer rates 10 times higher than with USB 2.0. Despite all of the generous upgrades, DS215j remains budget-friendly.

Packed with network storage features, Synology DS215j serves not only as your private cloud to access files anywhere, but also as a backup device, DLNA music and video library, online photo album, local copy of your public cloud, 24/7 download portal and so much more to satisfy your daily data management needs.

# **Cross Platform File Sharing & Synchronization**

Synology DS215j offers comprehensive network protocol support, assuring seamless file sharing across Windows, Mac<sup>®</sup>, and Linux<sup>®</sup> platforms. Internet file access is simplified by the encrypted FTP server and the web-based file explorer, File Station. HTTPS, firewall, and IP auto-block support ensure secure file sharing over the Internet. **Cloud Station** allows users to sync files among multiple devices and platforms, including Windows PC, Mac, Linux, iOS and Android<sup>™</sup> tablets or phones, effortlessly keeping everything up-to-date. **Cloud Sync** keeps your Dropbox, Google<sup>™</sup> Drive, Microsoft OneDrive, Baidu, Box and hubiC storage in sync with your personal DiskStation at home.

# **DLNA-Certified Media Server**

As a certified **DLNA DMS** (Digital Media Server), DS215j serves as a ready media server with the capability to host digital multimedia contents for remote playback. DLNA-compliant devices can access the shared contents on DS215j in the same local area network without fussing over privilege settings. Not only does it make your multimedia bank available without any preconfiguration, Synology mobile apps transform your mobile device into a remote control of your DS215j, sending movies and photos to your TV or music to your speaker right from the palm of your hand.



### **Cross-platform File Synchronization**

Auto-synchronize your files among DiskStation, PC and mobile devices using Synology Cloud Station.



### **Anytime Availability**

Access your DiskStation anywhere using Synology mobile apps.

# **Full Multimedia Features**

With DS215j you have many tools to easily manage your multimedia. **Photo Station**'s intuitive design allows you to effortlessly organize photos into customized categories, smart albums, and blog posts; as well as link them to social networking websites like Facebook, Twitter, Flickr, and Weibo with just a few clicks. **Audio Station** comes with a built-in lyrics plugin, Internet radio, and support for DLNA®, AirPlay®, and Bluetooth speakers for quality playback. With **Video Station**, you can watch movies and TV shows online and record your favorite programs with a DVB-T, DVB-S or DTMB tuner.

# Synology QuickConnect and Mobile Apps

For users whose network environment lacks a public IP address or the ability to configure port-forwarding, **QuickConnect** provides a relay service for you to access your DS215j from anywhere around the globe, even when it's hidden in a local area network. With a customizable QuickConnect ID, you can log in to your DS215j via DSM browser interface, Synology desktop utilities, and mobile apps.

Synology provides mobile apps that let you enjoy the full variety of your multimedia library even when you're on the go, allowing you to access the photo albums, music, and video collection stored at home on your DS215j. Available on iOS, Android, and Windows Phone platforms, **DS photo+**, **DS audio**, and **DS video** mobilize your Photo Station, Audio Station, and Video Station, potentially placing terabytes of content at your fingertips. On top of that, **DS download** makes it possible for you to manage and monitor your download tasks remotely while **DS file** allows you to manage the files stored on your DS215j.

# Runs on Synology DiskStation Manager (DSM)

**Synology DiskStation Manager** (DSM) is a web-based operating system tailormade for Synology NAS. Featuring an intuitive multitasking user interface, DSM provides destop-like experience to minimize effort in exploring and managing the DiskStation.

The built-in **Package Center** allows you to download and install a variety of packages on demand, ranging from backup, multimedia, business, security and utilities.

With all the built-in and add-on features, DSM provides you with complete and finegrained control of your DS215j, helping you maximize productivity and make the best out of of your digital assets.

# Energy-efficient with Cool and Quiet Design

Synology DS215j is designed with energy efficiency in mind. Not only does it provide a 92 X 92 mm fan and smart airflow to keep the system running cool 24/7, its noise dampening design makes it really quiet compared to PC counterparts. The hard drive hibernation feature can further reduce power consumption and operation cost.

All Synology products are produced with RoHS compliant parts and packed with recyclable packing materials. Synology acknowledges its responsibility as a global citizen to continually work in reducing the environmental impact of every product produced.

# **Connections & Buttons**



# **Technical Specifications**

# Hardware

CPU	Marvell Armada 375 Dual Core 800 MHz
Floating Point	Yes
Hardware Encryption Engine	Yes
Vemory	512MB DDR3
nternal HDD/SSD	3.5" or 2.5" SATA(II) X 2 (hard drives not included)
Max Internal Capacity	12TB (2 X 6TB HDD) (The actual capacity will differ according to volume types)
External Ports	USB 3.0 X 1, USB 2.0 X 1
ize (HxWxD) (mm)	165 X 100 X 225.5
Veight	0.88 kg
AN	Gigabit X 1
Vireless Support (dongle)	Yes
C Input Power Voltage	100V to 240V AC
Power Frequency	50 / 60Hz, Single Phase
)perating Temperature	5°C to 35°C (40°F to 95°F)
torage Temperature	-20°C to 60°C (-5°F to 140°F)
elative Humidity	5% to 95% RH
General	
Networking Protocols	CIFS, AFP, NFS, FTP, WebDAV, CalDAV, iSCSI, Telnet, SSH, SNMP, VPN (PPTP, OpenVPN™, L2TP)
ile System	Internal: EXT4 External: EXT4, EXT3, FAT, NTFS, HFS+ (Read Only)
torage Management	Max File System Size: 16TB, Max Internal Volumes #: 256, Max iSCSI Targets #: 10, Max iSCSI LUN#: 10,
	Supported RAID Type: Basic, JBOD, RAID 0, RAID 1, Synology Hybrid RAID
le Sharing Capability	
	Supported RAID Type: Basic, JBOD, RAID 0, RAID 1, Synology Hybrid RAID           Max User Accounts: 1024, Max Groups: 256, Max Shared Folders: 256, Max Concurrent CIFS/AFP/FTP
rivilege	Supported RAID Type: Basic, JBOD, RAID 0, RAID 1, Synology Hybrid RAID Max User Accounts: 1024, Max Groups: 256, Max Shared Folders: 256, Max Concurrent CIFS/AFP/FTP Connections: 128
rivilege Directory Service	Supported RAID Type: Basic, JBOD, RAID 0, RAID 1, Synology Hybrid RAID         Max User Accounts: 1024, Max Groups: 256, Max Shared Folders: 256, Max Concurrent CIFS/AFP/FTP         Connections: 128         Windows Access Control List (ACL)
rivilege irectory Service ecurity	Supported RAID Type: Basic, JBOD, RAID 0, RAID 1, Synology Hybrid RAID         Max User Accounts: 1024, Max Groups: 256, Max Shared Folders: 256, Max Concurrent CIFS/AFP/FTP         Connections: 128         Windows Access Control List (ACL)         Windows AD Integration: Domain Users login via Samba (CIFS)/AFP/FTP/File Station, LDAP Integration
rivilege Directory Service ecurity tilities	Supported RAID Type: Basic, JBOD, RAID 0, RAID 1, Synology Hybrid RAID         Max User Accounts: 1024, Max Groups: 256, Max Shared Folders: 256, Max Concurrent CIFS/AFP/FTP         Connections: 128         Windows Access Control List (ACL)         Windows AD Integration: Domain Users login via Samba (CIFS)/AFP/FTP/File Station, LDAP Integration         FTP over SSL/TLS, IP Auto-Block, Firewall, Encrypted Network Backup over Rsync, HTTPS Connection
ile Sharing Capability Privilege Directory Service ecurity Itilities upported Clients upported Browsers	Supported RAID Type: Basic, JBOD, RAID 0, RAID 1, Synology Hybrid RAID         Max User Accounts: 1024, Max Groups: 256, Max Shared Folders: 256, Max Concurrent CIFS/AFP/FTP         Connections: 128         Windows Access Control List (ACL)         Windows AD Integration: Domain Users login via Samba (CIFS)/AFP/FTP/File Station, LDAP Integration         FTP over SSL/TLS, IP Auto-Block, Firewall, Encrypted Network Backup over Rsync, HTTPS Connection         Synology Assistant, Cloud Station, Evidence Integrity Authenticator

# **Applications**

File Station	Virtual Drive, Remote Folder
Backup Solutions	Network Backup, Local Backup, Desktop Backup; Shared Folder Sync - Max Task Number: 2, Configuration Backup
Mail Server	Supported Mail Server Protocols: POP3, SMTP, IMAP
FTP Server	Bandwidth Control, Custom FTP Passive Port Range, Anonymous FTP, Transfer Log
Web Station	Virtual Host (up to 30 websites), PHP/MySQL®, 3rd-Party Applications Support
Printer Server	Max Printer #: 2, Printing Protocols: LPR, CIFS, IPP, Apple iOS Printing, Google Cloud Print™, Multi Functional Print Server (MFP functions are for Windows PC only)
Log Center	SSL Connection, Log Rotation: 6 months, 1 year, 2 years, 3 years, Email Notification
iOS/Android Applications	DS audio, DS cam, DS cloud, DS download, DS file, DS finder, DS note, DS photo+, DS video
Windows Phone Applications	DS audio, DS download, DS file, DS finder, DS photo+, DS video
Add-on Packages	
Surveillance Station	Default IP cam #: 2, MAX IP cam # (licenses required): 10 (with 2 free licenses to install 2 IP cameras. Additional licenses can be purchased to expand the license quota.)
VPN Server	Maximum Connections: 5, VPN Method: PPTP, OpenVPN, L2TP
Mail Station	Webmail Interface for Mail Server, Receiving Mails from Multiple POP3 Mailboxes, Customizable SMTP Server
Antivirus Essential	Full System Scan, Scheduled Scan, White List Customization, Virus Definition Auto Update
Cloud Station	Maximum Concurrent File Transfers: 128, Retain Historical and Deleted File Versions
Cloud Sync	Data Sync with Public Cloud Services: Dropbox, Google Drive, Baidu, Microsoft OneDrive, Box and hubiC
DLNA/UPnP® Media Server	DLNA certified, PS3®/Xbox 360® Support
Download Station	Supported Download Protocols: BT/HTTP/FTP/NZB/eMule Maximum Concurrent Download Tasks : 30
Note Station	Rich-Text Note Organization with Versioning, Encryption, Sharing, Media Embedding and Attachments
Other Packages	Photo Station, Audio Station, iTunes® Server, 3rd-party packages

### **Environment and Packaging**

Environment	RoHS Compliant
Package Content	DS215j Main Unit, Welcome Note, Accessory Pack, AC Power Adapter, AC Power Cord, RJ-45 LAN Cable
Optional Accessories	Remote, Camera License Pack, 2.5" Disk Holder Type C
Warranty	2 years

\*Model specifications are subject to change without notice. Please refer to www.synology.com for the latest information.

1.Performance may vary depending on the environment.

### SYNOLOGY INC.

Synology is dedicated to taking full advantage of the latest technologies to bring businesses and home users reliable and affordable ways to centralize data storage, simplify data backup, share and sync files across different platforms, and access data on-the-go. Synology aims to deliver products with forward-thinking features and the best in class customer services.

Copyright © 2014, Synology Inc. All rights reserved. Synology, the Synology logo are trademarks or registered trademarks of Synology Inc. Other product and company names mentioned herein may be trademarks of their respective companies. Synology may make changes to specification and product descriptions at anytime, without notice. Printed in Taiwan.

### DS215j-2014-ENU-REV001

#### Headquarters

Synology Inc. 3F-3, No. 106, Chang An W. Rd., Taipei, Taiwan Tel: +886 2 2552 1814 Fax: +886 2 2552 1824

Synology France SARL

39 rue Louis Blanc,

92400 Courbevoie

Tel: +33 147 176288

France

France

#### China

Synology Shanghai 20070, Room 516, No. 638, Hengfeng Rd., Zhabei Dist., Shanghai

### North & South America

Synology America Corp. 13343 NE Bel-Red Road, Bellevue, WA 98005 USA Tel: +1 425 818 1587

### United Kingdom

Synology UK Ltd. Unit C, Denbigh West Business Park, Third Avenue, Bletchley, Milton Keynes, MK1 1DH, UK Tel: +44 1908 366380

### Germany

Synology GmbH Grafenberger Allee 125 40237 Düsseldorf Deutschland Tel: +49 211 9666 9666